




GQ (Xiamen) Bearing Co., Ltd.

KOYO J-2212 needle roller bearings



J-2212 Bearing 2D drawings and 3D CAD models

Bearing No. J-2212

Size	34.925x41.275x19.05 mm
Bore Diameter	34.925 mm
Outer Diameter	41.275 mm
Width	19.05 mm
Fw	34.925 mm
D	41.275 mm
C	19.05 mm
Weight	0.035 Kg
Basic dynamic load rating (C)	22.82 kN
Basic static load rating (C0)	42.97 kN
(Grease) Lubrication Speed	6000 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.04
EAN	0060579019551
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row



GQ (Xiamen) Bearing Co., Ltd.

Separable	No
Closed End	No
Inch - Metric	Inch
Relubricatable	No
Thrust Bearing	No
Long Description	1-3/8" Bore; 1-5/8" Outside Diameter; 3/4" Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Not S
Other Features	2 Rib Outer Ring Drawn Cup Bearing Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.99.65.30
Noun	Roller Assembly with Outer Ring
Keyword String	Bearing Needle
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	J-2212
Weight / LBS	0.077
Bore	1.375 Inch 34.925 Millimeter
Outside Diameter	1.625 Inch 41.275 Millimeter
Width	0.75 Inch 19.05 Millimeter
Bearing No.	J-2212
Y(max)	\
Cr	22.82
C0r	42.97
Cu	6.65
Grease lub.	6000



GQ (Xiamen) Bearing Co., Ltd.

Oil lub.	9200
(Refer.) Mass(kg)	0.035
Mounting inner ring	IR-1812